

Zebra 3600 Series Barcode Scanners

On the following pages you will find detailed manufacturer information about this product from our TISWARE hardware and software portfolio.

If you need more information, please contact us!

If you have any questions about or are interested in this or other products from our portfolio, please contact our sales team. Our colleagues are happy to help.

Phone: **+49 2871 2722-0**

E-mail: **contact@tis-gmbh.com**

Other products from the TIS GmbH portfolio



TISLOG TELEMATICS SOFTWARE

TISLOG logistics and transport software provides powerful and flexible solutions for mobile order management, capable of exactly what you need for the individual work processes of your business.



www.tislog.com



TISPLUS HARDWARE ACCESSORIES

TISPLUS - Clever accessories for ergonomic handling on the go and in the warehouse. und im Lager. Development, design and production of our TISPLUS products take place at 100% in Germany.



www.tisplus.com

BACKGROUND TIS GMBH

The TIS GmbH, based in Bocholt is one of the market leaders for sophisticated telematics projects. TIS stands for "Technical Information Systems". Since 1985 the company develops intelligent telematics solutions for freight forwarders, transport and logistics companies and retail chains. Currently, more than 50 employees work for TIS. The latest generation of products are the platform-independent software solutions under the brand name TISLOG Logistics & Mobility. Together with the powerful hardware of renowned partners and the in-house developed hardware accessories TISLOG builds the optimal solution for companies looking for professional telematics solutions.



More information on the TIS GmbH and our portfolio of software, hardware and accessories on

www.tis-gmbh.com

SPECIFICATION SHEET

ZEBRA 3600 ULTRA-RUGGED SERIES:
LI3608/LI3678 CORDED AND CORDLESS 1D LINEAR IMAGER



LI3608/LI3678 Ultra-Rugged Scanner

UNSTOPPABLE PERFORMANCE FOR 1D BARCODE CAPTURE

Every day, workers in your warehouse and on the manufacturing plant floor scan thousands of barcodes to ensure product quality and on-time order delivery. Their productivity depends on the quality of the scanner you put in their hands. When workers need to capture 1D barcodes, you can give them the best with the 1D corded LI3608 and cordless LI3678 scanner. Both models offer unmatched durability, superior scanning performance and unrivaled manageability, while delivering lightning-fast capture of any 1D barcode printed on a label in virtually any condition, or displayed on a screen. The ultra-rugged design is practically indestructible — ideal for punishing environments. The LI3608/LI3678 couldn't be easier and less time-consuming to deploy and manage. And when it comes to cordless technology, the LI3678 is in a class of its own, with a complete solution that includes a sealed rugged cradle, a smart battery and Zebra's Wi-Fi Friendly Mode that prevents interference with your Wi-Fi network. Get the unstoppable performance you need to maximize workforce productivity and throughput in your operations with the LI3608/LI3678 — only from Zebra.



Superior scanning performance on any 1D barcode, in any condition

Read 1D barcodes displayed on a screen or printed on a label faster than any other 1D scanner on the market—even if they are under heavy shrinkwrap or damaged, dirty or poorly printed. The advanced linear imager offers 30 percent more working range than competitive devices, and captures barcodes as fast as your workers can pull the trigger for extraordinary productivity — no need to pause between scans.

Ultra-rugged — the most indestructible design in its class

The LI3608/LI3678 is our most rugged scanner yet, with the highest drop, tumble and sealing specification in its class. The LI3608/LI3678 is built to survive an 8 ft./2.4 m drop to concrete —

23 percent more durable than any other scanner in this class. The LI3608/LI3678 operates reliably after 5,000 tumbles, simulating the real-world tumbling that occurs with a drop. Both models are dustproof, sprayproof and waterproofed to IP67 — they can be sprayed down with jetting water and even submersed in water for up to 30 minutes.

Easy management with our complimentary industry-best tools

Remotely configure scanners, upgrade firmware, format data properly for your back end and monitor PowerPrecision+ battery statistics and more with 123Scan² and Scanner Management Service (SMS).

Crispest aiming pattern in its class

You get the industry's sharpest, brightest aiming pattern, ideal for first-time accurate capture of barcodes in pick lists.

Three flexible feedback modes

Mix and match the feedback modes that are ideal in your environment — vibration, red and green LEDs located in an area where they are always easy to see, plus the traditional loud beep tone.

Extreme temperature rating

Built to handle extreme cold, heat and humidity, you can use the LI3608/LI3678 anywhere — even in the freezer*.

A Bluetooth model in a class of its own for superior cordless freedom

Bluetooth 4.0 (Low Energy) provides lightning fast wireless communication and maximum energy efficiency.

Our Zebra *Wi-Fi Friendly Mode* eliminates the wireless interference that Bluetooth devices can often create in your Wi-Fi environment.

The *'go anywhere' rugged cradle* offers superior versatility and durability. The LI3678 cradle is the only one in its class to offer IP65 sealing. And its industrial charging contacts withstand 250,000 insertions.

The *first-in-its-class battery 'charge gauge'* and Bluetooth status LED make it easy to monitor battery power and Bluetooth connectivity.


The *PowerPrecision+ battery* delivers the ultimate in battery power and management. You get 56 percent more scans-per-charge compared to similar models in its class, plus visibility into a wealth of battery health-related data, including charge cycles consumed, current battery status and a State of Health meter, which identifies if batteries are healthy and holding a full charge, no longer holding a full charge, or at end of life and require replacement.

THE LI3608/LI3678 — ADVANCED 1D BARCODE CAPTURE IN AN ULTRA-RUGGED SCANNER.
FOR MORE INFORMATION, VISIT WWW.ZEBRA.COM/LI36X8 OR ACCESS OUR
GLOBAL CONTACT DIRECTORY AT WWW.ZEBRA.COM/CONTACT

SPECIFICATION SHEET

ZEBRA 3600 ULTRA-RUGGED SERIES:
LI3608/LI3678 CORDED AND CORDLESS 1D LINEAR IMAGER

LI3608/LI3678 Specifications Chart

PHYSICAL CHARACTERISTICS	
Dimensions	Corded: 7.3 in. H x 3.0 in. W x 5.2 in. D 18.5 cm H x 7.6 cm W x 13.2 cm D Cordless: 7.3 in. H x 3.0 in. W x 5.6 in. D 18.5 cm H x 7.6 cm W x 14.2 cm D
Weight	Corded: 10.1 oz./287 g; Cordless: 13.6 oz./385 g
Input Voltage Range	Host powered: 4.5 VDC min., 5.5 VDC max. External power supply: 11.4 VDC min., 12.6 VDC max.
Operating Current	LI3608 (corded): 170 mA (typical)
Standby Current	LI3608 (corded): 40 mA (typical)
Color	Industrial Green
Supported Host Interfaces	USB, RS232, Keyboard Wedge
Battery	 PowerPrecision+ 3100 mAh Li-Ion rechargeable battery
User Indicators	Direct decode indicator; LEDs; beeper; vibration
PERFORMANCE CHARACTERISTICS	
Scans per Full Charge	70,000+
Illumination	Two (2) 617nm Amber LEDs
Imager Field of View	35°
Image Sensor	1,500 pixels
Minimum Print Contrast	15% minimum reflective difference
Skew/Pitch/Roll	Skew: ± 65°; Pitch: ± 65°; Roll: ± 45°
DECODE CAPABILITIES**	
1D	Code 39, Code 128, Code 93, Codabar/NW7, Code 11, MSI Plessey, UPC/EAN, I 2 of 5, Korean 3 of 5, GS1 DataBar, Base 32 (Italian Pharma)
USER ENVIRONMENT	
Operating Temp.	Corded: -22° F to 122° F/-30° C to 50° C Cordless: -4° F to 122° F/-20° C to 50° C
Storage Temp.	-40° F to 158° F/-40° C to 70° C
Humidity	5% to 95% condensing
Drop Specification	Withstands multiple 8.0 ft. / 2.4 m drops to concrete
Tumble Specification	5,000 tumbles @ 3.3 ft. (1 m)
Sealing	Scanner: IP65 and IP67; FLB cradle: IP65
ESD	Per EN61000-4-2, ±25 KV air discharge, ±10 KV direct discharge, ±10 KV indirect discharge
Ambient Light Immunity	0 to 10,037 Foot Candles/0 to 108,000 Lux (direct sunlight)
UTILITIES AND MAINTENANCE	
123Scan²	Programs scanner parameters, upgrades firmware, provides scanned barcode data and prints reports. For more information, visit www.zebra.com/123Scan
Scanner SDK	Generates a fully-featured scanner application, including documentation, drivers, test utilities and sample source code. For more information, visit www.zebra.com/windowsSDK

UTILITIES AND MAINTENANCE (CONTINUED)	
Scanner Management Service (SMS)	Remotely manages your Zebra scanner and queries its asset information. For more information, visit www.zebra.com/sms
WIRELESS CONNECTIVITY	
Bluetooth Radio	Bluetooth Class 1, Version 4.0 (LE), serial port and HID profiles
Data Rate	3 Mbit/s (2.1 Mbit/s) for Classic Bluetooth 1 Mbit/s (0.27 Mbit/s) for Low Energy
Radio Range	Direct line of sight in open air : Class 1: Up to 300 ft. (100.0 m) Class 2: Up to 30 ft. (10.0 m)
REGULATORY	
Environmental	RoHS EN 50581: 2012
Electrical Safety	EU Safety: EN 60950-1: 2006 + A1: 2009 + A1: 2010 + A12: 2011 + AC 2011 + A2: 2013 International Safety: IEC 60950-1: 2005 + A1: 2009 + A2: 2013 US/Canada Safety: UL 60950-1, second edition, CAN/CSA-C22.2 No. 60950-1-07
LED Safety	International LED Safety: IEC 62471: 2006 (Ed.1.0); EN 62471: 2008 (LED)
EMI/RFI	IT Emissions: EN 55022: 2010/AC: 2011 (Class B) IT Immunity: EN 55024: 2010 Heavy Industrial: EN 61000-6-2: 2005/AC:2005 Harmonic Current Emissions: EN 61000-3-2: 2006 + A1: 2009 + A2: 2009 (Class B) Voltage Fluctuation and Flicker: EN 61000-3-3: 2013 Medical Electrical Equipment: EN 60601-1-2: 2007/AC: 2010, IEC 60601-1-2: 2007 (Modified) Radio Frequency Devices: 47 CFR Part 15, Subpart B, Class B Digital Apparatus: ICES-003 Issue 5, Class B

WARRANTY
Subject to the terms of Zebra's hardware warranty statement, the LI3608 is warranted against defects in workmanship and materials for a period of three (3) years from the date of shipment. For complete warranty statement, go to: <http://www.zebra.com/warranty>

RECOMMENDED SERVICES
Zebra OneCare Select; Zebra OneCare Essential

DECODE RANGES	
Symbology/Resolution	Near/Far
Code 39: 4 mil	4.0-10.0 in./10.2-25.4 cm
Code 39: 7.5 mil	1.5-19.0 in./3.8-48.3 cm
UPC: 13 mil (100%)	1.0-31.0 in./2.5-78.7 cm
Code 39: 20 mil	0-42.0 in./0-106.7 cm

* Heated scanner holder accessory required for use in freezers.
** Refer to Product Reference Guide for complete list of symbologies.

The Zebra 3600 Ultra-Rugged Scanner Series

This family of scanners offers a model to meet virtually every need in warehousing and manufacturing:

- **LI3608/LI3678:** 1D barcode capture
- **DS3608-SR/DS3678-SR:** Standard range scanning of 1D and 2D barcodes
- **DS3608-HP/DS3678-HP:** High performance scanner captures 1D/2D barcodes over longer distances, plus OCR, photos, documents
- **DS3608-HD/DS3678-HD:** Captures high-density 1D/2D barcodes
- **DS3608-DP/DS3678-DP:** Capture of Direct Part Marks (DPM)
- **DS3608-ER/DS3678-ER:** All-range 1D/2D barcode capture



NA and Corporate Headquarters
+1 800 423 0442
inquiry4@zebra.com

Asia-Pacific Headquarters
+65 6858 0722
contact.apac@zebra.com

EMEA Headquarters
zebra.com/locations
mseurope@zebra.com

Latin America Headquarters
+1 847 955 2283
la.contactme@zebra.com

Zebra 3600 Serie Barcode Scanners

Item numbers	Description
DS3608-HD3U-4602VZW	Ds3608-Hd Rugged Green Vibration Motor Usb Kit: Ds3608-Hd20003Vzww Scanner, Cba-U46-S07Zar High Current Shielded Usb Cable
DS3608-HP3U-4602VZW	Ds3608-Hp Rugged Green Vibration Motor Usb Kit: Ds3608-Hp20003Vzww Scanner, Cba-U46-S07Zar High Current Shielded Usb Cable
DS3608-SR3U-4600VZW	Ds3608-Sr Rugged Green Vibration Motor Usb Kit: Ds3608-Sr00003Vzww Scanner, Cba-U46-S07Zar High Current Shielded Usb Cable
DS3678-HD3U4210S-FW	DS3678-HD Rugged Green Standard Cradle USB Kit: DS3678-HD2F003VZWW Scanner, CBA-U42-S07PAR Shielded USB Cable (Supports 12V P/S), STB3678-C100F3WW Cradle, Pwrs-14000-148R Power Supply, 23844-00-00R Line Cord
DS3678-HD3U42A0S-FW	DS3678-HD Rugged Green Standard Cradle USB (No Line Cord) Kit: DS3678-HD2F003VZWW Scanner, CBA-U42-S07PAR Shielded USB Cable (Supports 12V P/S), STB3678-C100F3WW Cradle, PWRS-14000-148R Power Supply
DS3678-HP3U4210S-FW	DS3678-HP Rugged Green Standard Cradle USB Kit: DS3678-HP2F003VZWW Scanner, CBA-U42-S07PAR Shielded USB Cable (Supports 12V P/S), STB3678-C100F3WW Cradle, Pwrs-14000-148R Power Supply, 23844-00-00R Line Cord
DS3678-HP3U42A0S-FW	DS3678-HP Rugged Green Standard Cradle USB (No Line Cord) Kit: Ds3678-HP2F003VZWW Scanner, CBS-U42-S07PAR Shielded USB Cable (Supports 12V P/S), Stb3678-C100F3Ww Cradle, Pwrs-14000-148R Power Supply
DS3678-SR3U4210S-FW	DS3678-SR Rugged Green Standard Cradle Usb Kit: DS3678-SR0F003VZWW Scanner, CBA-U42-S07Par Shielded Usb Cable (Supports 12V P/S), STB3678-C100F3WW Cradle, Pwrs-14000-148R Power Supply, 23844-00-00R Line Cord
DS3678-SR3U42A0S-FW	DS3678-SR Rugged Green Standard Cradle USB (No Line Cord) Kit: DS3678-SR0F003VZWW Scanner, CBA-U42-S07PAR Shielded USB Cable (Supports 12V P/S), STB3678-C100F3WW Cradle, PWRS-14000-148R Power Supply
LI3608-SR3U4600VZW	LI3608-Sr Rugged Green Vibration Motor Usb Kit: LI3608-Sr00003Vzww Scanner, Cba-U46-S07Zar High Current Shielded Usb Cable
LI3678-SR3U4210S1W	LI3678-SR Rugged Green Vibration Motor Standard Cradle USB KIT: LI3678-SR0F003VZWW Scanner, CBA-U42-S07PAR Shielded USB Cable (supports 12V p/s), STB3678-C100F3WW Cradle, PWRS-14000-148R Power Supply, 23844-00-00R Line Cord
LI3678-SR3U42A0S1W	LI3678-SR Rugged Green Vibration Motor Standard Cradle USB (No Line Cord) KIT: LI3678-SR0F003VZWW Scanner, CBA-U42-S07PAR Shielded USB Cable (supports 12V p/s), STB3678-C100F3WW Cradle, PWRS-14000-148R Power Supply
DS3608-HD-20003VZWW	Rugged, Area Imager, High Density, Corded, Industrial Green, Vibration Motor
DS3608-HP20003VZWW	Rugged, Area Imager, High Performance, Corded, Industrial Green, Vibration Motor
DS3608-SR00003VZWW	Rugged, Area Imager, Standard Range, Corded, Industrial Green, Vibration Motor
DS3678-HD-2F003VZWW	DS3678: Rugged, Area Imager, High Density, Cordless, Fips, Industrial Green, Vibration Motor
DS3678-HP-2F003VZWW	DS3678: Rugged, Area Imager, High Performance, Cordless, Fips, Industrial Green, Vibration Motor
DS3678-SR0F003VZWW	DS3678: Rugged, Area Imager, Standard Range, Cordless, Fips, Industrial Green, Vibration Motor
LI3608-SR00003VZWW	LI3608: RUGGED, LINEAR IMAGER, STANDARD RANGE, CORDED, INDUSTRIAL GREEN

Zebra 3600 Series Barcode Scanners

Item numbers	Description
LI3678-SR0F003VZWW	LI3678: Rugged, Linear Imager, Standard Range, Cordless, Fips, Industrial Green, Vibration Motor
DS3608-ER-20003VZWW	DS3608: Rugged, Area Imager, Extended Range, Corded, Industrial Green, Vibration Motor
DS3678-ER-2F003VZWW	DS3678: Rugged, Area Imager, Extended Range, Cordless, Fips, Industrial Green, Vibration Motor

Accessories

Item numbers	Description
CBA-R07-S07PAR	CABLE - RS232: DB9 FEMALE CONNECTOR, 7 FT. (2M) STRAIGHT, TXD ON 2 (REQUIRES 12V POWER SUPPLY)
CBA-R21-S15PAR	CABLE - RS232: DB9 FEMALE CONNECTOR, 15FT. (4.6M) STRAIGHT, TXD ON 2 (REQUIRES 12V POWER SUPPLY)
CBA-R71-C09ZAR	CABLE - RS232: DB9 FEMALE CONNECTOR, 9FT
CBA-RF0-S07PAR	Cable - Rs232: Db9 Female Connector, 7 Ft. (2M) Straight, Txd On 2, 12V (Requires 12V Power Supply), -30C
CBA-RF1-C09PAR	Cable - Rs232: Db9 Female Connector, 9Ft. (2.8M) Coiled, Txd On 2, 12V (Requires 12V Power Supply), Low Temp -30C
CBA-RF2-C09ZAR	Cable - Rs232: Db9 Female Connector, 9Ft (2.8M) Coiled, Power Pin 9, -30C
CBA-RF3-C09ZAR	Cable - Rs232: Db9 Female Connector, 9Ft. (2.8M) Coiled, Power Pin 9, Txd On 2, True Converter, -30C
CBA-K63-S07PAR	Cable, Auto-Host Detect - Keyboard Wedge: 7ft. (2m) Straight, PS/2 Power Port (Supports 12V Power Supply)
CBA-K65-S15PAR	Cable, Auto-Host Detect - Keyboard Wedge: 15ft. (4.6m) Straight, PS/2 Power Port (Supports 12V Power Supply)
CBA-M65-S07ZAR	CABLE, AUTO-HOST DETECT - IBM: 468X/9X, 7FT. (2M) STRAIGHT, PORT 9B, 12V
CBA-M66-S15ZAR	CABLE, AUTO-HOST DETECT - IBM: 468X/9X, 15FT. (4.6M) STRAIGHT, PORT 9B, 12V
CBA-U42-S07PAR	CABLE - SHIELDED USB: SERIES A CONNECTOR, 7FT. (2.8M), STRAIGHT (SUPPORTS 12V POWER SUPPLY)
CBA-U43-S07ZAR	CABLE - SHIELDED USB: POWER PLUS CONNECTOR, 7FT. (2.8M), STRAIGHT, 12V
CBA-U46-S07ZAR	CABLE - SHIELDED USB: SERIES A CONNECTOR, 7FT. (2M), STRAIGHT, BC 1.2
CBA-U44-S15PAR	CABLE - SHIELDED USB: SERIES A CONNECTOR, 15FT. (4.6M), STRAIGHT (SUPPORTS 12V POWER SUPPLY)
CBA-U45-S15ZAR	CABLE - SHIELDED USB: POWER PLUS CONNECTOR, 15FT. (4.6M), STRAIGHT, 12V
CBA-U47-S15ZAR	CABLE - SHIELDED USB: SERIES A CONNECTOR
CBA-UF1-S07ZAR	Cable - Shielded USB: Series A Connector, 7ft. (2m), Straight, BC 1.2 (High Current), -30C
CBA-UF2-C12ZAR	Cable - Shielded USB: Series A Locking Connector for VC70, 12', Coiled, -30C
CBL-36-453A-01	Filter Adapter Cable For Use With 3600 Series U42 / Uf0 Cable Assy, Dc Power Cord, 12Vdc, 1.5A, Use W/Stb & F1b3600

Accessories

Item numbers	Description
FLB3678-C100F3WW	Sealed Cradle For 3678 Family, Charger, Bluetooth And Multi Interface, Ip65 Sealed
STB3678-C100F3WW	Standard Cradle For 3678 Family, Charger, Bluetooth And Multi Interface
BRKT-MM0036W-00	Cradle Mounting Bracket, Use With Stb36 & Flb36 , Vibration Dampening
50-15400-031	Tool Balancer Pulley
23844-00-00R	US AC line cord, 7.5 feet long, grounded, three wire for power supplies. Associated Countries: United States.
BTRY-36IAB0E-00	DS3600 Series, LS3600 Series, LI3600 Series
PWRS-14000-148R	Power Supply:100-240 VAC,12VDC,4.16A. Order country specific three wire grounded AC Line Cord separately.
CBL-36-452A-01	Forklift Dc Power Supply Adapter Cable (For Use With -251 & -252 Dc To Dc Power Supplies)
PWRS-14000-251R	DC/DC High Voltage Power Converter, 18-75VDC to 12VDC for use on electric forklifts with 24V, 36V and 48V batteries. It cannot be used with the VC6096.
PWRS-14000-252R	DC/DC Low Voltage Power Converter, 9-30VDC to 12VDC for use on electric forklifts with 12V batteries.
SAC3600-4001CR	4 Slot Battery Charger For 3600 Series Battery, (Power Supply and AC Line Cord Ordered Separately)
21-52612-01R	Forklift Holder - Rugged Scanners
STND-AS0036-07	Adjustable Intellistand – 3608 (Twilight Black)

Service Agreements

Item numbers	Description
SCE-DS3608-10	1 Year Zebra Onecare Service Center Essential. Does Not Include Comprehensive Coverage. Includes Coverage For Cradle.
SCE-DS3678-10	1 Year Zebra Onecare Service Center Essential. Does Not Include Comprehensive Coverage. Includes Coverage For Cradle.
SCE-LI3608-10	1 YEAR ZEBRA ONECARE SERVICE CENTER ESSENTIAL. DOES NOT INCLUDE COMPREHENSIVE COVERAGE. INCLUDES COVERAGE FOR CRADLE.
SCE-LI3678-10	1 Year Zebra Onecare Service Center Essential. Does Not Include Comprehensive Coverage. Includes Coverage For Cradle.
SCS-DS3608-10	1 Year Zebra Onecare Service Center Select. Does Not Include Comprehensive Coverage. Includes Coverage For Cradle.
SCS-DS3678-10	1 Year Zebra Onecare Service Center Select. Does Not Include Comprehensive Coverage. Includes Coverage For Cradle.
SCS-LI3608-10	1 YEAR ZEBRA ONECARE SERVICE CENTER SELE
SCS-LI3678-10	1 Year Zebra Onecare Service Center Select. Does Not Include Comprehensive Coverage. Includes Coverage For Cradle.
SSE-DS3608-20-R	2 Year Zebra Onecare Essential Renewal. Includes Comprehensive Coverage. Includes Coverage For Cradles. Can Only Be Ordered Once After Initial Zebra Onecare Contract Expires
SSE-DS3608-30	3 Year Zebra Onecare Essential. Includes Comprehensive Coverage. Includes Coverage For Cradles.

Service Agreements

Item numbers	Description
SSE-DS3678-20-R	2 Year Zebra Onecare Essential Renewal. Includes Comprehensive Coverage. Includes Coverage For Cradles. Can Only Be Ordered Once After Initial Zebra Onecare Contract Expires
SSE-DS3678-30	3 Year Zebra Onecare Essential. Includes Comprehensive Coverage. Includes Coverage For Cradles.
SSE-LI3608-20-R	2 YEAR ZEBRA ONECARE ESSENTIAL RENEWAL. INCLUDES COMPREHENSIVE COVERAGE. INCLUDES COVERAGE FOR CRADLES. CAN ONLY BE ORDERED ONCE AFTER INITIAL ZEBRA ONECARE CONTRACT EXPIRES
SSE-LI3608-30	3 YEAR ZEBRA ONECARE ESSENTIAL. INCLUDES COMPREHENSIVE COVERAGE. INCLUDES COVERAGE FOR CRADLES.
SSE-LI3678-20-R	2 Year Zebra Onecare Essential Renewal. Includes Comprehensive Coverage. Includes Coverage For Cradles. Can Only Be Ordered Once After Initial Zebra Onecare Contract Expires
SSE-LI3678-30	3 Year Zebra Onecare Essential. Includes Comprehensive Coverage. Includes Coverage For Cradles.
SSS-DS3608-20-R	2 Year Zebra Onecare Select Renewal. Includes Comprehensive Coverage. Includes Coverage For Cradles. Can Only Be Ordered Once After Initial Zebra Onecare Contract Expires
SSS-DS3608-30	3 Year Zebra Onecare Select. Includes Comprehensive Coverage. Includes Coverage For Cradles.
SSS-DS3678-20-R	2 Year Zebra Onecare Select Renewal. Includes Comprehensive Coverage. Includes Coverage For Cradles. Can Only Be Ordered Once After Initial Zebra Onecare Contract Expires
SSS-DS3678-30	3 Year Zebra Onecare Select. Includes Comprehensive Coverage. Includes Coverage For Cradles.
SSS-LI3608-20-R	2 YEAR ZEBRA ONECARE ESSENTIAL SELECT. INCLUDES COMPREHENSIVE COVERAGE. INCLUDES COVERAGE FOR CRADLES. CAN ONLY BE ORDERED ONCE AFTER INITIAL ZEBRA ONECARE CONTRACT EXPIRES
SSS-LI3608-30	3 YEAR ZEBRA ONECARE SELECT. INCLUDES COMPREHENSIVE COVERAGE. INCLUDES COVERAGE FOR CRADLES.
SSS-LI3678-20-R	2 Year Zebra Onecare Select Renewal. Includes Comprehensive Coverage. Includes Coverage For Cradles. Can Only Be Ordered Once After Initial Zebra Onecare Contract Expires
SSS-LI3678-30	3 Year Zebra Onecare Select. Includes Comprehensive Coverage. Includes Coverage For Cradles.

MORE ZEBRA BARCODE SCANNERS

Zebra offers a whole variety of barcode scanners. Find more models here:

<https://www.zebra.com/us/en/products/scanners.html>

