

# Zebra VC80 Staplerterminal

Auf den folgenden Seiten finden Sie detaillierte Herstellerinformationen zu diesem Produkt aus unserem TISWARE Hardware- und Software-Portfolio.

**Bei Interesse sprechen Sie uns bitte an!**

Falls Sie Fragen zu oder Interesse an diesem Artikel oder anderen Produkten aus unserem Portfolio haben, kontaktieren Sie unseren Vertrieb. Unsere Kollegen beraten Sie gern.

Telefon: **02871 2722-0**

E-Mail: **kontakt@tis-gmbh.de**

## Weitere Produkte aus dem Portfolio der TIS GmbH



### TISLOG TELEMATIK-SOFTWARE

TISLOG Logistik und Transport Software bietet Ihnen leistungsstarke, flexible Lösungen für mobiles Auftragsmanagement, die genau das können, was Sie für Ihre individuellen Arbeitsabläufe im Unternehmen benötigen.



[www.tislog.de](http://www.tislog.de)



### TISPLUS HARDWARE-ZUBEHÖR

TISPLUS - Cleveres Hardware-Zubehör für mehr Bedienkomfort unterwegs und im Lager. Entwicklung, Konstruktion und Produktion unserer TISPLUS Produkte finden zu 100% in Deutschland statt.



[www.tisplus.de](http://www.tisplus.de)

### HINTERGRUND TIS GMBH

Die TIS GmbH mit Sitz in Bocholt ist einer der Marktführer für anspruchsvolle Telematik-Projekte. TIS steht für „Technische Informationssysteme“. Das Unternehmen entwickelt seit 1985 intelligente Telematik-Lösungen für Speditionen, Transport- und Logistik-Unternehmen sowie Handelsketten. Derzeit arbeiten mehr als 50 Mitarbeiter für das mittelständische Unternehmen. Die neuste Produktgeneration sind die plattformunabhängigen Softwarelösungen unter dem Markennamen TISLOG Logistics & Mobility. Mit der leistungsfähigen Hardware namhafter Partner und dem in-house entwickelten Hardware-Zubehör wird TISLOG zur optimalen Komplettlösung für Unternehmen, die professionelle Telematik-Lösungen suchen.



Mehr Informationen über die TIS GmbH und unser Portfolio aus Software, Hardware und Zubehör auf [www.tis-gmbh.de](http://www.tis-gmbh.de)

# Mobiler Computer VC80 zur Fahrzeugmontage

## DANK UMFASSENDE WINDOWS-UNTERSTÜTZUNG KÖNNEN FAHRER JEDERZEIT AUF DIE BENÖTIGTEN DESKTOPANWENDUNGEN ZUGREIFEN.

Mit dem VC80 haben Materialfahrer mobilen Zugriff auf die Desktopanwendungen, die sie brauchen, um Aufträge schneller und zuverlässiger auszuführen. Sie erhalten umfassende Windows-Unterstützung in einem äußerst robusten Gehäuse, das für extreme Innen- und Außenbereiche entwickelt wurde – von Warenlagern und Verteilzentren bis hin zu Flughäfen, Seehäfen, Rangierbahnhöfen und mehr –, sowie die schnellsten derzeit verfügbaren Drahtlosverbindungen, damit Ihre Mitarbeiter jederzeit online sind und produktiv arbeiten. Und dank seines kompakten Designs und der flexiblen Befestigungsoptionen ist er im Nu in Gabelstaplern, Klammerstaplern, Terminal-Zugmaschinen, Kränen usw. montiert. Der VC80 – echte Desktopleistung für Ihre Mobilanwendungen.



### Ideal für extreme Gefrierumgebungen

Sie profitieren von frost- und kondensationsfreiem Betrieb dank Heizelementen für Touchscreen, Platine und Batterien sowie intelligenten Temperatursensoren zur automatischen Steuerung von Heizung und Heizgeschwindigkeit.

### Äußerst robustes Design

Der VC80 eignet sich aufgrund der staub- und wasserdichten IP66-Versiegelung, versiegelter Anschlüsse sowie strengster Testverfahren für Temperatur, Stöße und Vibration für die anspruchsvollsten Umgebungsbedingungen.

### Überall gut sichtbar

Das Display mit ultrahellen 1.000 cd/m<sup>2</sup> ist im Freien gut ablesbar und das Display mit 400 cd/m<sup>2</sup> ist ideal für den Innenbereich.

### Programmierbare Tasten vereinfachen komplexe Abläufe

Programmieren Sie sechs Direkttasten und sechs Schaltflächen für die Ausführung mehrstufiger Prozesse, um Durchsatz und Produktivität zu steigern.

### Überall gut hörbar

Die äußerst leistungsstarken Frontlautsprecher mit gut zugänglicher Lautstärkeregelung sorgen auch in den lautesten Umgebungen für gut hörbares Scanfeedback und Anwendungshinweise.

### Passt in nahezu jedes Warenlager/Fahrzeug

Mehrere Befestigungsoptionen, darunter RAM-Standardhalterungen, in Kombination mit dem kompakten Gehäuse erlauben die einfache Montage selbst in den kleinsten Fahrzeugen. Und zur Wartung oder Reparatur lässt sich der VC80 dank der Schnellentriegelung im Handumdrehen in einem anderen Fahrzeug montieren.

### Flexible Dateneingabe – Touchscreen oder optionale Tastatur

Die nachgiebige Touchscreentastatur mit haptischem Feedback macht die Eingabe selbst mit dicken Handschuhen zum Kinderspiel. Sie können aber auch eine optionale externe Tastatur unten oder seitlich am VC80 montieren.

### Ausreichend Leistung für grafikintensive Anwendungen

Entscheiden Sie sich zwischen den blitzschnellen Modellen mit 1,33-GHz-Dual-Core-Prozessor und 2 GB RAM oder 1,91-GHz-Quad-Core-Prozessor mit 4 GB RAM.

### Überragende Flexibilität – Barcode-Scannen, Sprachunterstützung und mehr

In verschiedenen Bereichen sind unterschiedliche Funktionen erforderlich. Daher bietet der VC80 alle Anschlüsse, die Sie für Barcode-Scanner, mobile Drucker, Push-to-Talk-Mikrofone und vieles mehr brauchen.

### Unverwüsthliche WLAN-Anbindung

Dank der Unterstützung der neuesten WLAN-Standards – 802.11a/b/g/n/ac – sowie einer Auswahl von internen und externen Antennen laufen selbst die anspruchsvollsten Anwendungen auf dem VC80 wie in einem kabelgebundenen Netzwerk.

### Reparatur direkt vor Ort

Da der Touchscreen – die am stärksten beanspruchte Komponente – vor Ort austauschbar ist, sind Reparaturfahrten ins Depot überflüssig, wodurch die Verfügbarkeit und Ihre Anlagenrendite verbessert werden.

### Bluetooth-Pairing im Handumdrehen

Sie brauchen einen separaten Handheld-Scanner? Scannen Sie einfach den Pairing-Barcode auf dem VC80 mit dem Handheld-Scanner LS3478 oder DS3578 oder dem kabellosen Ring-Scanner RS507 von Zebra und schon kann die Arbeit weitergehen.

### Umfassende Windows-Unterstützung

Der VC80 unterstützt Windows Embedded Standard 7 sowie Windows 7 Professional und ist auf Windows 10 vorbereitet, sodass Sie nahezu jede PC-basierte Anwendung in Ihren Fahrzeugen einsetzen können.

**ECHTE DESKTOPLEISTUNG AUCH IN LAGERFAHRZEUGEN – MIT DEM VC80.**

WEITERE INFORMATIONEN ERHALTEN SIE AUF [WWW.ZEBRA.COM/VC80](http://WWW.ZEBRA.COM/VC80) ODER IN UNSEREM WELTWEITEN KONTAKTVERZEICHNIS AUF [WWW.ZEBRA.COM/CONTACT](http://WWW.ZEBRA.COM/CONTACT).

# VC80 – technische Daten

PHYSISCHE MERKMALE	
<b>Abmessungen</b>	10,4 x 9,3 x 3,5 Zoll (H x B x T) 265 x 235 x 90 mm (H x B x T)
<b>Gewicht</b>	3,9 kg
<b>Tastaturoptionen</b>	Extern (QWERTY und AZERTY), optionale L-Halterung
<b>Leistung</b>	Internes Netzteil, 12–48 V Nennleistung (für Versorgung in Gabelstaplern)
<b>USV und Ersatzbatterie</b>	Wiederaufladbare USV-Batterie für den Betrieb bei Stromausfällen; interne wiederaufladbare Batterie für Echtzeituhr
<b>Display</b>	10,4 Zoll (26,4 cm) XGA-Farb-LCD (1024 x 768); 24 Bit Farbtiefe; Auswahl zwischen 400 und 1.000 cd/m <sup>2</sup> ; LED-Hintergrundbeleuchtung
<b>Touchscreen</b>	Resistiver Touchscreen mit Stylus- oder Fingerbedienung Gefrierversion: Integrierte Touchscreen-Heizung verdampft Kondensation beim Wechsel zwischen kalter und warmer Umgebung.
<b>Tasten</b>	Sechs (6) programmierbare Makrotasten; Tastaturtasten; Lautstärke; Helligkeit; blaue Taste für Sekundärfunktionen; Betriebsschalter
<b>Schnittstellenanschlüsse</b>	Versiegelte und gesicherte Standardanschlüsse: 2 serielle RS-232-Anschlüsse; 1 USB-Standardanschluss; 1 Powered-USB-Anschluss; 1 3,5-mm-Audiobuchse; optional: Ethernet (10/100/1000 Mbit/s) oder isolierter CAN-Anschluss mit Unterstützung für SAE J1939
<b>LEDs</b>	Betriebs-LED, Warn-LED, Status-LED (blaue Taste)
<b>Scannerunterstützung</b>	Über USB, RS-232 oder Bluetooth angeschlossene Handheld-Scanner und Imager
<b>Befestigung</b>	Schnellentriegelung; RAM-Standardhalterungen; Adapter für ältere Fahrzeughalterungen
LEISTUNGSMERKMALE	
<b>CPU und RAM</b>	Intel E3825 Dual Core, 1,33 GHz mit 2 GB RAM oder Intel E3845 Quad Core, 1,91 GHz mit 4 GB RAM
<b>Betriebssystem</b>	Windows Embedded Standard 7, 64 Bit; Windows 7 Professional, 64 Bit; bereit für Windows 10
<b>Massenspeicher</b>	mSATA SSD: 32 oder 64 GB
<b>Interne Erweiterungssteckplätze</b>	Zwei (2) Mini-PCIe-Steckplätze (1 x Standard, 1 x optional); ein (1) M.2-Steckplatz
<b>Zusätzliche Software</b>	Konfigurierbare Bildschirmtastatur My-T-Soft; Scanner Wedge mit Code-Anpassung; Scanner Management Service (SMS)
<b>Optionale Software</b>	Wavelink Terminal Emulation (TE) 3270, 5250, VT100, VT220 (auf bestimmten Modellen vorinstalliert und lizenziert); TekTerm; Mobile Device Management
<b>Anwendungsentwicklung</b>	Standard Windows mit WMI-Zusätzen
BENUTZERUMGEBUNG	
<b>Betriebstemperatur</b>	-30 bis 50 °C
<b>Lagertemperatur</b>	-30 bis 60 °C

BENUTZERUMGEBUNG (FORTSETZUNG)	
<b>Relative Luftfeuchtigkeit</b>	5 bis 95 %, nicht kondensierend (Standardversion) 5 bis 95 %, kondensierend (Gefrierversion mit interner Heizung)
<b>Versiegelung</b>	IP66
<b>Temperaturschock</b>	-30 bis 50 °C
<b>Stöße/Vibrationen</b>	IEC 60721-3-5M3; MIL-STD 810G; Method 514.6; MIL-STD 810G; Method 516.6
<b>Salznebel</b>	48 Stunden 5%ige Lösung bei 35 °C
<b>Sonneneinstrahlung</b>	MIL STD 810-G, Method 505.5, Procedure I
<b>Integrierte Sensoren</b>	Bewegung (Beschleunigungsmesser); Temperatur; Zündung
<b>ESD</b>	±15 kV Luftentladung, ±8 kV direkte Entladung
DRAHTLOSKOMMUNIKATION	
<b>WLAN</b>	IEEE 802.11a/b/g/n/ac 2x2 MIMO
<b>WLAN-Antennen</b>	Intern oder extern
<b>WPAN</b>	Bluetooth 2.1 + EDR (Windows 7/10) Bluetooth 4.0 Smart Ready (Windows 10)
<b>GPS</b>	Optional mit DGPS-Unterstützung
SPRACHE UND AUDIO	
<b>Audio</b>	Leistungsstarker Lautsprecher bis 87 dBA
<b>Push-to-Talk</b>	Optional: Lautsprecher/Mikrofon (extern)
RICHTLINIENKONFORMITÄT	
<b>Elektrische Sicherheit</b>	UL/cUL/IEC/EN 60950-1 Innenbereich UL/cUL/IEC/EN 60950-22 Außenbereich
<b>EMI/RFI</b>	<b>Nordamerika:</b> FCC Teil 15, Klasse B <b>Kanada:</b> ICES 003, Klasse B <b>EU:</b> EN55022, EN 301 489-1, EN 301 489-17
<b>WLAN/Bluetooth</b>	<b>USA:</b> FCC Teil 15.247, 15.407 <b>Kanada:</b> RSS-210 <b>EU:</b> EN 300 328, EN 301 893 <b>AU/NZ:</b> AS/NZS 4268
<b>Umwelt</b>	RoHS/WEEE/REACH-konform
<b>Entflammbarkeit</b>	IEC UL94-V0
ZUBEHÖR	
Kabelgebundene Scanner; kabellose Scanner; Antennen; Push-to-Talk-Lautsprecher-Mikrofon; Tastaturen; Tastaturhalterungen; Adapterkits (Netzkabel) zur Verwendung von älteren Computern zur Fahrzeugmontage; Schnellentriegelung; RAM-Halterungen; Scannerhalterung (eine vollständige Zubehörliste finden Sie auf <a href="http://www.zebra.com/vc80">www.zebra.com/vc80</a> )	
GARANTIE	
Vorbehaltlich der Bestimmungen der Hardware-Garantieerklärung von Zebra gilt für den VC80 eine Garantie von einem (1) Jahr ab Versanddatum auf Verarbeitungs- und Materialfehler. Die vollständige Garantie finden Sie auf: <a href="http://www.zebra.com/warranty">http://www.zebra.com/warranty</a>	
EMPFOHLENE SERVICES	
Zebra OneCare Select	

## Der VC80 ist ideal für:

### Branchen

- Lagerhaltung
- Vertrieb
- Transport und Logistik
- Fertigung

### Umgebungen

- Gefrierbereiche
- Außenbereiche
- Flughäfen
- Seehäfen
- Rangierbahnhöfe

### Anwendungen

- Wareneingang
- Kommissionierung
- Verpackung
- Versand
- Bestandsauffüllung
- Cross-Docking
- Unfertige Erzeugnisse



Zentrale Nordamerika und Unternehmenszentrale  
+1 800 423 0442  
[inquiry4@zebra.com](mailto:inquiry4@zebra.com)

Zentrale Asien-Pazifik  
+65 6858 0722  
[contact.apac@zebra.com](mailto:contact.apac@zebra.com)

Zentrale EMEA  
[zebra.com/locations](http://zebra.com/locations)  
[mseurope@zebra.com](mailto:mseurope@zebra.com)

Zentrale Lateinamerika  
+1 847 955 2283  
[la.contactme@zebra.com](mailto:la.contactme@zebra.com)

## Zebra VC80 Staplerterminal

Artikelnummer	Beschreibung
VC8010FSAA-11CAAAXX	10" (1024 X 768), Freezer (-30 - +50 C, Condensing), Standard Display, Intel E3825 Dual Core, 1.33 Ghz, 1 Mb Cache, 2 Gb Ram, 32 Gb Ssd, Windows Embedded Standard 7, English, Tekterm, Basic Io, Int. Antennas
VC8010SOAA11CAB-AXX	10" (1024 X 768), Standard (-30 - +50 C, Non-Condensing), Outdoor Readable Display, Intel E3825 Dual Core, 1.33 Ghz, 1 Mb Cache, 2 Gb Ram, 32 Gb Ssd, Windows Embedded Standard 7, English, Tekterm, Basic Io, Connectors For Ext. Antennas
VC8010SOBB21CCB-CXX	10" (1024 X 768), Standard (-30 - +50 C, Non-Condensing), Outdoor Readable Display, Intel E3845 Quad Core, 1.91 Ghz, 2 Mb Cache, 4 Gb Ram, 64 Gb Ssd, Windows 7 Pro, English, Tekterm, Basic Io Plus Can-Bus, Connectors For Ext. Antennas, Gps
VC8010S-SAA00AAAAXX	10" (1024 X 768), Standard (-30 - +50 C, Non-Condensing), Standard Display, Intel E3825 Dual Core, 1.33 Ghz, 1 Mb Cache, 2 Gb Ram, 32 Gb Ssd, Basic Io, Int. Antennas
VC8010SSAA-11CAAAXX	10" (1024 X 768), Standard (-30 - +50 C, Non-Condensing), Standard Display, Intel E3825 Dual Core, 1.33 Ghz, 1 Mb Cache, 2 Gb Ram, 32 Gb Ssd, Windows Embedded Standard 7, English, Tekterm, Basic Io, Int. Antennas
VC8010SSAA11CAB-AXX	10" (1024 X 768), Standard (-30 - +50 C, Non-Condensing), Standard Display, Intel E3825 Dual Core, 1.33 Ghz, 1 Mb Cache, 2 Gb Ram, 32 Gb Ssd, Windows Embedded Standard 7, English, Basic Io, Tekterm, Connectors For Ext. Antennas
VC8010SSAA11C-BAAXX	10" (1024 X 768), Standard (-30 - +50 C, Non-Condensing), Standard Display, Intel E3825 Dual Core, 1.33 Ghz, 1 Mb Cache, 2 Gb Ram, 32 Gb Ssd, Windows Embedded Standard 7, English, Tekterm, Basic Io Plus Ethernet, Int. Antennas
VC8010SSBB00AB-BAXX	10" (1024 x 768), Standard (-30 - +50 C, Non-Condensing Environments), Standard Display, Intel E3845 Quad Core, 1.91 GHz, 2 MB Cache, 4 GB RAM, 64 GB SSD, No Operating System, Basic IO plus Ethernet, connectors for external antennas
VC8010SSBB21CB-BAXX	10" (1024 X 768), Standard (-30 - +50 C, Non-Condensing), Standard Display, Intel E3845 Quad Core, 1.91 Ghz, 2 Mb Cache, 4 Gb Ram, 64 Gb Ssd, Windows 7 Pro, English, Tekterm, Basic Io Plus Ethernet, Connectors For Ext. Antennas
VC8010SSBB21C-CAAXX	10" (1024 X 768), Standard (-30 - +50 C, Non-Condensing), Standard Display, Intel E3845 Quad Core, 1.91 Ghz, 2 Mb Cache, 4 Gb Ram, 64 Gb Ssd, Windows 7 Professional, English, Tekterm, Basic Io Plus Can-Bus, Int. Antennas
VC8010SSBB21C-CBAXX	10" (1024 X 768), Standard (-30 - +50 C, Non-Condensing), Standard Display, Intel E3845 Quad Core, 1.91 Ghz, 2 Mb Cache, 4 Gb Ram, 64 Gb Ssd, Windows 7 Professional, English, Tekterm, Basic Io Plus Can-Bus, Connectors For Ext. Antennas

## Zubehör

Artikelnummer	Beschreibung
20667-002	Antenna, 802.11 b/g - dipole 2 dBi reverse polarity SMA connector (stubby)
AN000090A01	Antenna Active Gnss L1 Band Sma Plug 2.9M Rg316Ds Cable
AN2010	Antenna, dual band, 802.11 a/b/g/n, 2 dBi, RPSMA connector, magnetic mount, 2.9m
AN2020	Antenna, 2.4 GHz, 802.11 b/g, 5 dBi, RPSMA connector, magnetic mount, 2.9m
AN2030	Whip antenna (stubby), dual band, 802.11 a/b/g/n, 2.4GHz 2dBi, 5GHz 3.7 dBi, RPSMA connector
AR1000	Right Angle SMA reverse polarity plug-jack Adapter

## Zubehör

Artikelnummer	Beschreibung
9010376	iKey Keyboard, English, backlight, USB
9010377	iKey Keyboard, colour, English, USB
SLK-101-M-USB-3F	KEYBOARD:STANDARD
KT-SPRTCT-VC70-05R	Kit: Screen protector, VC70, set of 5
M1000	Speaker/Mic with push-to-talk function
SL0001	Stylus and Stylus Holder
KT-KYBDMNT-VC80-R	Function/Numeric Keypad Side Mount Bracket
KT-KYBDTRAY-VC80-R	Keyboard Mounting Tray. Includes Tilting Arms, Knobs And Screws. For Vc80 And Ikey Keyboards
KT-SCANMNT-VC80-R	Side Mounted Holder For Scanner
MT3501	VESA plate
MT3502	Round plate
MT3505	Clamp base (for 4" or 12" RAM arm), 2" max. width
MT3507	Clamp base (for 4" or 12" RAM arm), 3" max. width
MT3509	Rail base (for 4" or 12" RAM arm), 1-1/4" to 1-7/8"
MT3510	Rail base (for 4" or 12" RAM arm), 2" to 2 1/2"
MT4200	Quick release mount
MT4205	Mounting plate for MT4200 Quick Release Mount
MT4210	Adapter bracket kit for 82XX quick release mount
MT4301	RAM mount, 4" arm
MT4302	RAM mount, 12" arm
MT4510	RAM rectangular base with 2.25" rubber ball
CA1210	Power Extension Cable, DC, 6', waterproof
CA1220	Power Extension Cable DC, 6', waterproof - Screen Blanking
CA1230	Power extension cable for pre-regulator with ignition sense
CA1300	Screen blanking cable (DB9 to open wires)
CB-000433-01	Cable, Assembly,Vc80 Can Cable To Deutsch Connector
CB000416A01	DC Power Adapter to VC70 Extension Cable
CB000417A01	DC Power Adapter to VC50 Extension Cable
PS1370	Pre-Regulator, 19 - 90 VDC in, 15 VDC out, 90 W
PS1450	AC/DC Power Supply 18V 3.3A 110/220V
KT-VC80-SCRH1-01	FRONT WITH TOUCH SCREEN (HEATED)
KT-VC80-SCRN1-01	FRONT WITH TOUCH SCREEN (NON-HEATED)

## Serviceverträge + Software

Artikelnummer	Beschreibung
OSB-VC80XX-10	1 YEAR ON SITE SUPPORT. INCLUDES COMPREHENSIVE COVERAGE. CHECK DATASHEET FOR REGIONAL AVAILABILITY.
SCE-VC80XX-10	1 YEAR ZEBRA ONECARE SERVICE CENTER ESSENTIAL. INCLUDES COVERAGE FOR KEYBOARD. DOES NOT INCLUDE COMPREHENSIVE COVERAGE.
SCS-VC80XX-10	1 YEAR ZEBRA ONECARE SERVICE CENTER SELECT. INCLUDES COVERAGE FOR KEYBOARD. DOES NOT INCLUDE COMPREHENSIVE COVERAGE. (REQUIRES CUSTOMER-SUPPLIED SPARES POOL IN NA, NOT AVAILABLE FOR LA.)
SOB-VC80XX-30	3 YEAR SERVICE FROM THE START ON SITE BRONZE. INCLUDES COVERAGE FOR KEYBOARD. INCLUDES COMPREHENSIVE COVERAGE. CHECK DATASHEET FOR REGIONAL AVAILABILITY.
SOB-VC80XX-50	5 YEAR SERVICE FROM THE START ON SITE BRONZE. INCLUDES COVERAGE FOR KEYBOARD. INCLUDES COMPREHENSIVE COVERAGE. CHECK DATASHEET FOR REGIONAL AVAILABILITY.
SSE-VC80XX-10-R	1 YEAR ZEBRA ONECARE ESSENTIAL RENEWAL. INCLUDES COVERAGE FOR KEYBOARD. INCLUDES COMPREHENSIVE COVERAGE.
SSE-VC80XX-20-R	2 YEAR ZEBRA ONECARE ESSENTIAL RENEWAL. INCLUDES COVERAGE FOR KEYBOARD. INCLUDES COMPREHENSIVE COVERAGE. CAN ONLY BE ORDERED ONCE AFTER INITIAL ZEBRA ONECARE CONTRACT EXPIRES
SSE-VC80XX-30	3 YEAR ZEBRA ONECARE ESSENTIAL. INCLUDES COVERAGE FOR KEYBOARD. INCLUDES COMPREHENSIVE COVERAGE
SSE-VC80XX-50	5 YEAR ZEBRA ONECARE ESSENTIAL. INCLUDES COVERAGE FOR KEYBOARD. INCLUDES COMPREHENSIVE COVERAGE
SSS-VC80XX-10-R	1 YEAR ZEBRA ONECARE SELECT RENEWAL. INCLUDES COVERAGE FOR KEYBOARD. INCLUDES COMPREHENSIVE COVERAGE. (REQUIRES CUSTOMER-SUPPLIED SPARES POOL IN NA, NOT AVAILABLE FOR LA.)
SSS-VC80XX-20-R	2 YEAR ZEBRA ONECARE SELECT RENEWAL. INCLUDES COVERAGE FOR KEYBOARD. INCLUDES COMPREHENSIVE COVERAGE. (REQUIRES CUSTOMER-SUPPLIED SPARES POOL IN NA, NOT AVAILABLE FOR LA.) CAN ONLY BE ORDERED ONCE AFTER INITIAL ZEBRA ONECARE CONTRACT EXPIRES
SSS-VC80XX-30	3 YEAR ZEBRA ONECARE SELECT. INCLUDES COVERAGE FOR KEYBOARD. INCLUDES COMPREHENSIVE COVERAGE. (REQUIRES CUSTOMER-SUPPLIED SPARES POOL IN NA, NOT AVAILABLE FOR LA.)
SSS-VC80XX-50	5 YEAR ZEBRA ONECARE SELECT. INCLUDES COVERAGE FOR KEYBOARD. INCLUDES COMPREHENSIVE COVERAGE. (REQUIRES CUSTOMER-SUPPLIED SPARES POOL IN NA, NOT AVAILABLE FOR LA.)
OPT-COMM-10	1 Year Commissioning Option. Cannot be ordered alone.
OPT-COMM-20	2 Year Commissioning Option. Cannot be ordered alone.
OPT-COMM-30	3 Year Commissioning Option. Cannot be ordered alone.
OPT-COMM-50	5 Year Commissioning Option. Cannot be ordered alone.
OPT-DASHBOARD-10	1 Year Asset Visibility Dashboard Access. Cannot be ordered alone. Must be purchased together with a Zebra OneCare Essential agreement.
OPT-DASHBOARD-20	2 Year Asset Visibility Dashboard Access. Cannot be ordered alone. Must be purchased together with a Zebra OneCare Essential agreement.
OPT-DASHBOARD-30	3 Year Asset Visibility Dashboard Access. Cannot be ordered alone. Must be purchased together with a Zebra OneCare Essential agreement.

## Serviceverträge + Software

Artikelnummer	Beschreibung
OPT-DASHBOARD-50	5 Year Asset Visibility Dashboard Access. Cannot be ordered alone. Must be purchased together with a Zebra OneCare Essential agreement.
OPT-EXPSHIP-10	1 Year Express Shipping Option. Cannot be ordered alone. Available in NALA only.
OPT-EXPSHIP-20	2 Year Express Shipping Option. Cannot be ordered alone. Available in NALA only
OPT-EXPSHIP-30	3 Year Express Shipping Option. Cannot be ordered alone. Available in NALA only
OPT-EXPSHIP-50	5 Year Express Shipping Option. Cannot be ordered alone. Available in NALA only
OPT-VC80XXFSTRK-30	FASTRACK OPTION MUST BE PURCHASED UP FRONT WITH THE HARDWARE (OR WITHIN 30 DAYS THEREAFTER), TOGETHER WITH A 3-YR ZEBRA ONECARE SELECT AGREEMENT-AVAILABLE IN THE UK, BELGIUM AND NETHERLANDS ONLY
COM-SOTI-SV3	Commissioning of 1 SOTI MobiControl server and device config for up to 3 diff mobile device types (Zebra MC, Apple iOS or Google Android based devices). Hotel & Travel is extra and not discountable. See product note tab. USA & CANADA ONLY. Contact: rrquote@zebra.com for a quote
MDM-COM-000	Commissioning of 1 SOTI MobiControl server and device configuration for up to 3 different mobile device types (Zebra MC, Apple iOS or Google Android based devices). Costs for Hotel and Travel see product note tab. EMEA and APAC ONLY
MDM-COM-001	Commissioning of multiple SOTI MobiControl server and/or configuration not supported by Standard Commissioning service. Please contact your Zebra sales rep for details. Minimum order quantity is 10 licenses. • Contact: rrquote@zebra.com for a quote
MDM-COM-100	Commissioning of 1 SOTI MobiControl server and device configuration for up to 3 different mobile device types (Zebra MC, Apple iOS or Google Android based devices). Costs for Hotel and Travel see product note tab. EMEA and APAC ONLY
SW-SOTI-CLOUD	Subscription Pricing with SOTI dedicated cloud server - includes Standard Support. (SOTI PART# SOTI-MCL-DEV)
SW-SOTI-MCADDON	Additional Perpetual License for existing reg code. (SOTI PART# SOTI-MCP-DEV)
SW-SOTI-MCL-DEF	If Cloud SaaS device instance is less than seventy-five (75) licenses, instance fee applies until such time the instance surpasses 75 licenses. (SOTI PART# SOTI-MCL-DEF)
SW-SOTI-MCNOMAIN	SOTI MobiControl Perpetual Client License. Must purchase minimum 1 year maintenance. Pre-Existing SOTI Deployments Must co-terminate maintenance contracts with equivalent months of maintenance. MIN ORDER QTY is 10 Licenses for new deployments and 5 Licenses for add-on orders. (SOTI PART# SOTI-MCP-DEV)
SW-SOTI-SAAS	Subscription Pricing for customers who install on their own hardware - includes Standard Support. (SOTI PART# SOTI-MCS-DEV)
SW-SOTISERVER	MobiControl Server License - Initial purchase of SOTI Mobicontrol requires the purchase of 1 or More Server Licenses. Clients can be added to existing instances of SOTI Mobicontrol. (SOTI PART# SOTI-SERVER)
SWS-SOTIMC-10	1 Year Software Support for SOTI. Includes technical support and software updates. Priced per license. Minimum order quantity is 10 licenses. (SOTI PART# SOTI-MCP-MNT (old part # SOTI-MC-PREM-MAINT-1MO)
SWS-SOTIMC-1M	Adds 1 Month of Software Support for SOTI to existing contracts . Includes technical support and software updates. Priced per license. Must be ordered with a Soti license. Minimum order quantity IS 10 licenses.
SWS-SOTIMC-20	2 Year Software Support for SOTI. Includes technical support and software updates. Priced per license. Minimum order quantity is 10 licenses.

## Serviceverträge + Software

Artikelnummer	Beschreibung
SWS-SOTIMC-30	3 Year Software Support for SOTI. Includes technical support and software updates. Priced per license. Minimum order quantity is 10 licenses.
ZSOTI-CON-MIG-HRL	SOTI MIGRATION SERVICES INCLUDING PLANNING, INSTALLATION & CONFIGURATION OF SERVER AND DEVICES - PRICE PER HOUR
ZSOTI-IMP-HRL	SOTI JUMPSTART IMPLEMENTATION SERVICE PER HOUR CHARGE (GREATER THAN 1,000 DEVICES, QUOTE ON NUMBER OF HOURS TO BE FIRMED POST DISCOVERY CALL WITH THE CUSTOMER)
ZSOTI-MCX-ADV-1MO	SOTI Advantage Support is an add-on to standard support. 24x7 level 1 support Price is per device, per month
ZSOTI-MCX-ENT-1MO	SOTI MOBICONTROL ENTERPRISE SUPPORT add-on to standard maintenance support Price per device, per month. minimum quarterly charge applied if under 300 devices ZSOTI-MCX-ENT-MIN
ZSOTI-MCX-ENT-MIN	SOTI MOBICONTROL ENTERPRISE SUPPORT (IF LESS THAN 300 DEVICES, ADDITIONAL QUARTERLY CHARGE) ASSESSED EACH QUARTER UNTIL AT LEAST 300 DEVICE MANAGED
ZSOTI-PSS-TRN-3EX	SOTI ACADEMY CERTIFICATION EXAM FEE (BUNDLE OF 3 EXAMS)
ZSOTI-PSS-TRN-EXM	SOTI ACADEMY CERTIFICATION PER EXAM FEE (PER PERSON)
ZSOTI-TRN-ACT	SOTI ACADEMY CERTIFIED MOBICONTROL ASSOCIATE TRAINING COURSE (LEVEL 1)
ZSOTI-TRN-ALL	SOTI ACADEMY ON DEMAND TRAINING, ALL LEVELS
ZSOTI-TRN-BOT-ATT	SOTI MOBICONTROL ADDITIONAL ATTENDEE FOR BOOTCAMP 3-DAY TRAINING (TRAVEL & EXPENSES ADDITIONAL). PRICE PER PERSON.
ZSOTI-TRN-BOT-ONS	SOTI MOBICONTROL BOOTCAMP ONSITE 3-DAY TRAINING (TRAVEL & EXPENSES ADDITIONAL). PRICE PER SESSION, MAX ATTENDEES PER SESSION IS 5.
ZSOTI-TRN-EXP	SOTI ACADEMY CERTIFIED MOBICONTROL EXPERT TRAINING COURSE (LEVEL 3)
ZSOTI-TRN-PRF	SOTI ACADEMY CERTIFIED MOBICONTROL PROFESSIONAL TRAINING COURSE (LEVEL 2)
SWE-82990-01	Wavelink Traditional Green Screen Terminal Emulation Client VT/HP (for Window & Android devices)
SWE-82990-02	Wavelink Traditional Green Screen Terminal Emulation Client 5250/3270 (for Window & Android devices)
SWE-82990-03	Wavelink Traditional Green Screen Terminal Emulation Client 4 in 1 (For Window & Android devices)
SWS-WL-TN-2IN1-10	1 Year Software Support for Wavelink Telnet Client 2 in 1
SWS-WL-TN-2IN1-30	3 Year Software Support for Wavelink Telnet Client 2 in 1
SWS-WL-TN-4IN1-10	1 Year Software Support for Wavelink Telnet Client 4 in 1
SWS-WL-TN-4IN1-30	3 Year Software Support for Wavelink Telnet Client 4 in 1
C-OTT-WIN32	License Open TekTerm
C-OTT-WINCE	License Open TekTerm
C-OTT-WM	License Open TekTerm
SW9510L	License Commserver Lite (maintenance is mandatory for first year)
SW9510S	License Commserver Standard (maintenance is mandatory for first year)



## Serviceverträge + Software

Artikelnummer	Beschreibung
SW9510TSFO	License WINTSFO (maintenance is mandatory for first year)
SWS-SW95XX-10	Commserver Maintenance 1 Year
SWS-SW95XX-20	Commserver Maintenance 2 Year
SWS-SW95XX-30	Commserver Maintenance 3 Year
SWS-TEKTRMCLNT-10	1 year maintenance for TekTerm Client (TekTerm Server maintenance is to be purchased separately)
SWS-TEKTRMCLNT-20	2 years maintenance for TekTerm Client(TekTerm Server maintenance is to be purchased separately)
SWS-TEKTRMCLNT-30	3 years maintenance for TekTerm Client(TekTerm Server maintenance is to be purchased separately)
SW-WL-SPEAKEASY	Wavelink Speakeasy Voice Client (One Client per Device). Note, one or three year software support to be ordered in addition at time of purchase.
SWS-SPKEASY-10	1 Year Software Support for Speakeasy. Includes technical support and software updates. Priced per license
SWS-SPKEASY-30	3 Year Software Support for Speakeasy. Includes technical support and software updates. Priced per license

## WEITERE ZEBRA STAPLERTERMINALS



Zebra bietet eine breite Palette an Staplerterminals an.  
Weitere Modelle finden Sie hier:

<https://www.zebra.com/de/de/products/mobile-computers/vehicle-mounted.html>