

# Datalogic Powerscan PM8300 Barcodescanner

Auf den folgenden Seiten finden Sie detaillierte Herstellerinformationen zu diesem Produkt aus unserem TISWARE Hardware- und Software-Portfolio.

**Bei Interesse sprechen Sie uns bitte an!**

Falls Sie Fragen zu oder Interesse an diesem Artikel oder anderen Produkten aus unserem Portfolio haben, kontaktieren Sie unseren Vertrieb. Unsere Kollegen beraten Sie gern.

Telefon: **02871 2722-0**

E-Mail: **kontakt@tis-gmbh.de**

## Weitere Produkte aus dem Portfolio der TIS GmbH



### TISLOG TELEMATIK-SOFTWARE

TISLOG Logistik und Transport Software bietet Ihnen leistungsstarke, flexible Lösungen für mobiles Auftragsmanagement, die genau das können, was Sie für Ihre individuellen Arbeitsabläufe im Unternehmen benötigen.



[www.tislog.de](http://www.tislog.de)



### TISPLUS HARDWARE-ZUBEHÖR

TISPLUS - Cleveres Hardware-Zubehör für mehr Bedienkomfort unterwegs und im Lager. Entwicklung, Konstruktion und Produktion unserer TISPLUS Produkte finden zu 100% in Deutschland statt.



[www.tisplus.de](http://www.tisplus.de)

### HINTERGRUND TIS GMBH

Die TIS GmbH mit Sitz in Bocholt ist einer der Marktführer für anspruchsvolle Telematik-Projekte. TIS steht für „Technische Informationssysteme“. Das Unternehmen entwickelt seit 1985 intelligente Telematik-Lösungen für Speditionen, Transport- und Logistik-Unternehmen sowie Handelsketten. Derzeit arbeiten mehr als 50 Mitarbeiter für das mittelständische Unternehmen. Die neueste Produktgeneration sind die plattformunabhängigen Softwarelösungen unter dem Markennamen TISLOG Logistics & Mobility. Mit der leistungsfähigen Hardware namhafter Partner und dem in-house entwickelten Hardware-Zubehör wird TISLOG zur optimalen Komplettlösung für Unternehmen, die professionelle Telematik-Lösungen suchen.



Mehr Informationen über die TIS GmbH und unser Portfolio aus Software, Hardware und Zubehör auf [www.tis-gmbh.de](http://www.tis-gmbh.de)



## TECHNOLOGIE ORIENTIERT

Die PowerScan PM8300-Reihe verfügt über verschiedene Modelle, um alle Kundenanforderungen zu erfüllen: der PM8300 ist das mobile Basismodell; dem folgt das Modell PM8300-D mit Display und 3-Tasten Tastatur; das ultimative PM8300-DK Modell bietet ein Display und eine Tastatur mit 16 Tasten. Das Modell PM8300-DK erweitert maßgeblich die Vielfalt der Kommunikation mit dem Host-System und eröffnet neue Nutzungsmöglichkeiten. Die BC9180 im Kompatibilitätsmodus, beinhaltet in einem Modell zwei verschiedene Ethernet-Anschlüsse: Standard-Ethernet und Industrie-Ethernet Protokolle wie, Ethernet IP und Modbus.



## DATALOGIC'S STAR CORDLESS SYSTEM™

Die Schmalband-Kommunikation mit Datalogics STAR Cordless System™ ist der Schlüssel zu höherer Produktivität und Flexibilität am Arbeitsplatz. Sie bietet skalierbare Lösungen, von einfachen Point-to-Point-Anwendungen bis hin zur Netzwerkfähigkeit in Kombination mit nahtlosem Roaming für komplexe Anwendungen.

## LESEBESTÄTIGUNG UND AUSGEZEICHNETE LESELEISTUNG

Der PM8300 verfügt über Datalogics exklusive 3GL™-Technologie (3 Green Lights), die eine hervorragende Lesebestätigung bietet. Der patentierte 'Green Spot' direkt auf dem Code und die zwei 'Good Read'-LEDs an der Ober- und Rückseite der Abdeckung erhöhen die Sichtbarkeit aus jedem Winkel. Die hervorragende Leseleistung wird noch durch Datalogics patentierte PuzzleSolver™ Technologie erhöht, die ein schnelles, präzises Lesen von Standardcodes sowie schlecht gedruckten und beschädigten Codes ermöglicht.



### MERKMALE

- Optik lieferbar für Standardbereich (Kontakt bis zu 1,0 m / 3,3 ft) und Auto Range (von 20 cm / 8 in bis über 12,5 m / 41,0 ft)
- Drei Modelle verfügbar: Standard; mit Display und mit 3-Tasten Tastatur; Display und 16-Tasten Tastatur
- 100% kompatibel mit Datalogics STAR Cordless System™
- Verfügbare Radiofrequenzen: 433 MHz oder 910 MHz
- Point-to-Point- und Multi-Pont-Übertragung
- Nahtloses Roaming
- Ethernet Anschluss (Standard und Industrie)
- Datalogics 3GL™ und lauter Piepton für Lesebestätigung
- Auswechselbarer Lithium-Ionen-Akku
- Arbeitet innerhalb eines großen Temperaturbereiches
- Wasser- und Partikeldichtigkeit: Schutzklasse IP65 / IP64 (mit Display)
- Fallresistenz 2,0 m / 6,5 ft
- EASEOFCARE Serviceangebote schützen Ihre Investition und sorgen gleichzeitig für maximale Produktivität und ROI

### BRANCHEN - APPLIKATIONEN

- Produktion/Lager
- Retail / POS Check-out
- Transport & Logistik / Lager / Sortierung

### KABELLOSE KOMMUNIKATION

DATALOGIC STAR CORDLESS SYSTEM™	Point-to-Point Konfiguration Multi-Point Konfiguration Effektive Funkleistung: 433,92 MHz: <10 mW; 910 MHz: <1 mW Maximale Anzahl von Scannern in einem Funkbereich: 2.000 Maximale Anzahl von Scannern pro Empfänger: 32 Funkfrequenz: 433,92 MHz; 910 MHz Funkreichweite (im freien Feld): 433,92 MHz: Bis zu 50 m / 164 ft 910 MHz: Bis zu 30 m / 98 ft Nahtloses Roaming: Zwei-Wege Kommunikation
---------------------------------	---

### DEKODIERMÖGLICHKEITEN

1D / LINEARE CODES	Automatische Erkennung aller Standard Linearcodes und linearer GS1 DataBar™ Codes.
STAPELCODES	Code 16K; Code 49; GS1 DataBar Expanded Stacked; GS1 DataBar Stacked; GS1 DataBar Stacked Omnidirectional

### ELEKTRISCHE DATEN

AKKU	Akkutyp: Lithium-Ionen 2150 mAh; Ladezeit: Externe Stromversorgung: 4 Stunden Spannung vom Host: 10 Stunden; Lesungen pro Ladung: +60.000
LED ANZEIGEN DER STATION	Akkuladung (rot); Ladung abgeschlossen (grün); Versorgung/Daten (gelb)
STROMAUFNAHME	Betrieb (typisch): Extern: 1 A bei 10 V, 330 mA bei 30 V; POT: 500 mA Extern: 10 bis 30 VDC; POT: 5 VDC +/- 10%
SPANNUNGSVERSORGUNG	

### UMGEBUNGSBEDINGUNGEN

ESD SCHUTZ (LUFTENTLADUNG) FALLSCHUTZ	20 kV Übersteht 50 Stürze aus 2,0 m / 6,6 ft Höhe auf Beton
LUFTFEUCHTIGKEIT (NICHT KONDENSIEREND) SCHUTZ VOR STAUB UND WASSER TEMPERATUR	90% PM8300: IP65; PM8300-D, PM8300-DK: IP64 Betrieb: -20 bis 50 °C / -4 bis 122 °F Lager/Transport: -20 bis 70 °C / -4 bis 158 °F Störfest gegenüber Lichtquellen in Büros, Einrichtungen und direkter Sonneneinstrahlung
UMGEBUNGSLICHT	

### SCHNITTSTELLEN

SCHNITTSTELLEN	Lesestiftsignal; RS-232; RS-485: BC8060; Tastatureinschleifung; USB; Ethernet (Standard, Industrie) im Kompatibilitätsmodus (BC9180-433, BC9180-910)
----------------	--

### PHYSIKALISCHE EIGENSCHAFTEN

ABMESSUNGEN	Cradle: 24,0 x 10,8 x 9,5 cm / 9,5 x 4,3 x 3,7 in PM8300: 20,7 x 11,4 x 6,9 cm / 8,1 x 4,5 x 2,7 in PM8300-D, PM8300-DK: 21,0 x 11,4 x 6,9 cm / 8,3 x 4,5 x 2,7 in
DISPLAY	PM8300-D, PM8300-DK: Displaygröße: 32 x 96 pixel; Displaytyp: Grafik mit Hintergrundbeleuchtung; Font Größen Benutzerwählbarer Schriftgröße (mit Standardauswahl 4 Zeilen x 16 Spalten)
GEWICHT	Cradle: 380,0 g / 13,4 oz; Handscanner: 395,0 g / 13,9 oz
TASTATUR	PM8300-D: 3 Tasten; PM8300-D, PM8300-DK: 16 Tasten
VERFÜGBARE FARBEN	Gelb/Schwarz

### LESELEISTUNG

AUFLÖSUNG (MAXIMUM)	PM83X0: 0,076 mm / 3 mils PM83X0 Automatischen Bereich: 0,190 mm / 7,5 mils 15%
DRUCKKONTRAST (MINIMUM) LESEANZEIGEN	Beeper; Datalogic 'Three Green Lights' (3GL™) Lesebestätigung; Datalogic 'Green Spot' auf den Code projiziert; Dual Good Read LEDs; Übertragungsbestätigung
LESERATE (MAXIMUM) LESEWINKEL	35 +/- 5 scans/sek Pitch: 5 bis 55° / -5 bis -55°; Roll (Tilt): +/- 20°; Skew (Yaw): +/- 60°
LICHTQUELLE	630 bis 680 nm VLD Zieleinrichtung: 630 bis 680 nm VLD, Aktivierung durch „Doppelklick“ Auslöser

### LESEREICHWEITEN

TYPISCHE SCHÄRFENTIEFE	Abhängig von Druckkontrast, Auflösung und Umgebungslicht. Minimale Lesedistanz ermittelt anhand Symbollänge und Scanwinkel.
<b>PM8300</b> 5 mils: 2,1 bis 13,3 cm / 0,8 bis 5,2 in 7,5 mils: 3,5 bis 24,2 cm / 1,4 bis 9,5 in 10 mils: 2,9 bis 42,8 cm / 1,1 bis 16,8 in 13 mils: 2,3 bis 55,1 cm / 0,9 bis 21,7 in 20 mils: 6,3 bis 78,5 cm / 2,5 bis 30,9 in 40 mils: 2,5 bis 97,8 cm / 1,0 bis 38,5 in	<b>PM8300 AR</b> 7,5 mils: 7,0 bis 46,5 cm / 2,7 bis 18,3 in 10 mils: 10,8 bis 99,9 cm / 4,2 bis 39,3 in 13 mils: 12,7 bis 147,3 cm / 5,0 bis 58,0 in 20 mils: 7,0 bis 215,9 cm / 2,7 bis 85,0 in 40 mils: 16,0 bis 340,0 cm / 6,3 bis 133,8 in 55 mils: 0,2 bis 4,1 m / 0,7 bis 13,5 ft Reflective - 100 mils: 1,5 bis 2,5 m / 4,9 bis 41,0 ft

### SICHERHEIT & ZERTIFIZIERUNG

AMTLICHE GENEHMIGUNGEN	Das Produkt besitzt für den bestimmungsgemäßen Gebrauch alle notwendigen Zulassungen bezüglich Sicherheit. Die Kurzbeschreibung (Quick Reference Guide ) enthält eine Liste mit allen Zulassungen.
EINHALTUNG DER UMWELTSCHUTZAUFLAGEN LASER KLASSIFIZIERUNG	Entspricht EU ROHS Achtung, Laserlicht tritt aus,- Nicht in den Strahl blicken; CDRH Class II; IEC 60825-1 Class 2

### NÜTZLICHE SOFTWARE UTILITIES

DATALOGIC ALADDIN™	Datalogic Aladdin Konfigurationssoftware steht zum kostenlosen Download zur Verfügung.
--------------------	---

### GEWÄHRLEISTUNG

GEWÄHRLEISTUNG	3 Jahre
----------------	---------

#### Ladestationen / Übertragungsstationen

- BC8030-433, BC8030-910 Basis/Ladegerät, Multi-Schnittstelle
- BC8060-433, BC8060-910 Basis/Ladegerät, Multi-Schnittstelle/RS-485
- BC9180-433, BC9180-910 Basisstation/duales Ladegerät
- CHR-PM80 Ladegerät (C-8000)
- SBS-PM80 Steckplatz für Ersatzakku kompatibel mit dem BC8060



#### Akkus/Ladegeräte

- FBP-PM80 Akkusatz (FBP-8000)
- MC-P080 Ladegerät für mehrere Akkus (MC-8000)
- RBP-PM80 Austauschbarer Akkusatz (RBP-8000)



#### Ablagen / Schutztaschen

- 11-0138 Geheiztes Halfter, 36 VDC; 11-0139 Geheiztes Halfter, 24 VDC; 11-0140 Geheiztes Halfter, 48 VDC (Nicht für Gebrauch mit PM8300-D)
- HLS-P080 Universelle Halterung (HLS-8000)
- PC-P080, PCD-P080 Schutzhülle/Gürtelhalter (PC-8000)



#### Halterung / Ständer

- 7-0404 Seilzug
- HLD-P080 Tisch/Wandbefestigung (HLD-8000)
- STD-P080 Freihandständer (STD-8000)
- VMK-PM80 KIT zur Befestigung an Fahrzeugen



## Datalogic Powerscan PM8300 Barcodescanner

Artikelnummer	Beschreibung
PM8300-433K3	PowerScan PM8300, 433 MHz, Kit, KBW (Kit incl. Laser Scanner, BC8030-433MHZ base station, Cable CAB-436, Power Supply, Power cord with European line cord)
PM8300-433K2	PowerScan PM8300, 433 MHz, Kit, RS-232 (Kit incl. Laser Scanner, BC8030-433MHZ base station, Cable CAB-433, Power Supply with European line cord)
PM8300-DKAR-433RK20	PowerScan PM8300, 433 MHz, Kit, RS-232, Laser Scanner, Auto Range, Display/16-Key Keypad, Removable Battery (Kit inc. Laser Scanner, BC8030-433 Base Station, Cable CAB-433, Power Supply and European line cord)
PM8300-DK433RK20	PowerScan PM8300, 433 MHz, Kit, RS-232, Laser Scanner, Standard Range, Display/16-Key Keypad, Removable Battery (Kit inc. Laser Scanner, BC8030-433 Base Station, Cable CAB-433, Power Supply and European line cord)
PM8300-433K1	PowerScan PM8300, 433 MHz, Kit, USB (Kit incl. Laser Scanner, BC8030-433MHZ base station, Cable CAB-438, Power Supply, Power cord with European line cord)
PM8300-DKAR-433RK10	PowerScan PM8300, 433 MHz, Kit, USB, Laser Scanner, Auto Range, Display/16-Key Keypad, Removable Battery (Kit inc. Laser Scanner, BC8030-433 Base Station, Cable CAB-438, Power Supply and European line cord)
PM8300-DK433RK10	PowerScan PM8300, 433 MHz, Kit, USB, Laser Scanner, Standard Range, Display/16-Key Keypad, Removable Battery (Kit-Laser Scanner, BC8030-433 Base Station, Cable CAB-438, Power Supply and European Line Cord)
PM8300-D433RBK10	PowerScan PM8300, 433 Mhz, Kit, with Display, Removable Battery, USB kit with Base Station BC8060-433Mhz, and Cable CAB-438 Power Supply and European Line Cord)
PM8300-DKAR433RB	PowerScan PM8300, 433 MHz, Laser Scanner, Auto Range, Display/16-Key Keypad, Removable Battery
PM8300-DAR433	PowerScan PM8300, 433 MHz, Laser Scanner, Auto Range, Display/3-Key Keypad
PM8300-DAR433RB	PowerScan PM8300, 433 MHz, Laser Scanner, Auto Range, Display/3-Key Keypad, Removable Battery
PM8300-AR433	PowerScan PM8300, 433 MHz, Laser Scanner, Auto Range, No Display or Keypad
PM8300-AR433RB	PowerScan PM8300, 433 MHz, Laser Scanner, Auto Range, No Display or Keypad, Removable Battery
PM8300-DK433	PowerScan PM8300, 433 MHz, Laser Scanner, Standard Range, Display/16-Key Keypad
PM8300-DK433RB	PowerScan PM8300, 433 MHz, Laser Scanner, Standard Range, Display/16-Key Keypad, Removable Battery
PM8300-D433	PowerScan PM8300, 433 MHz, Laser Scanner, Standard Range, Display/3-Key Keypad
PM8300-D433-C005	PowerScan PM8300, 433 MHz, Laser Scanner, Standard Range, Display/3-Key Keypad, PreScan (Use with BC8030-433-C005)
PM8300-D433RB	PowerScan PM8300, 433 MHz, Laser Scanner, Standard Range, Display/3-Key Keypad, Removable Battery
PM8300-433	PowerScan PM8300, 433 MHz, Laser Scanner, Standard Range, No Display or Keypad
PM8300-433RB	PowerScan PM8300, 433 MHz, Laser Scanner, Standard Range, No Display or Keypad, Removable Battery
PM8300-910K3	PowerScan PM8300, 910 MHz, Kit, KBW (Kit incl. Laser Scanner, BC8030-910MHZ base station, Cable CAB-436, Power Supply, Power cord wi
PM8300-910K2	PowerScan PM8300, 910 MHz, Kit, RS-232 (Kit incl. Laser Scanner, BC8030-910MHZ base station, Cable CAB-433, Power Supply, Power cord

## Datalogic Powerscan PM8300 Barcodescanner

Artikelnummer	Beschreibung
PM8300-DKAR-910RK20	PowerScan PM8300, 910 MHz, Kit, RS-232, Laser Scanner, Auto Range, Display/16-Key Keypad, Removable Battery (Kit incl. Laser Scanner, BC8030-910 Base Station, Cable CAB-433, Power Supply and US Line Cord)
PM8300-DK910RK20	PowerScan PM8300, 910 MHz, Kit, RS-232, Laser Scanner, Standard Range, Display/16-Key Keypad, Removable Battery (Kit incl. Laser Scanner, BC8030-910 Base Station, Cable CAB-433, Power Supply and US Line Cord)
PM8300-910RBK2	PowerScan PM8300, 910 MHz, Kit, RS-232, Removable Battery (Kit incl. Laser Scanner, BC8060-910MHZ base station, Cable CAB-433, Power Supply and US Line Cord)
PM8300-D910RBK2	PowerScan PM8300, 910 MHz, Kit, RS-232, Removable Battery with Display (Kit incl. Laser Scanner BC8060-910MHZ base station, Cable CAB-433, Power Supply and US Line Cord)
PM8300-910K1	PowerScan PM8300, 910 MHz, Kit, USB (Kit incl. Laser Scanner, BC8030-910MHZ base station, Cable CAB-438 Power Supply, with US Line Cord)
PM8300-DKAR-910RK10	PowerScan PM8300, 910 MHz, Kit, USB, Laser Scanner, Auto Range, Display/16-Key Keypad, Removable Battery (Kit incl. Laser Scanner, BC8030-910 Base Station, Cable CAB-438, Power Supply and US Line Cord)
PM8300-DK910RK10	PowerScan PM8300, 910 MHz, Kit, USB, Laser Scanner, Standard Range, Display/16-Key Keypad, Removable Battery (Kit incl. Laser Scanner, BC8030-910 Base Station, Cable CAB-438, Power Supply and US Line Cord)
PM8300-910RBK1	PowerScan PM8300, 910 MHz, Kit, USB, Removable Battery (Kit incl. Laser Scanner, BC8060-910MHZ base station, Cable CAB-438, Power Supply with US Line Cord)
PM8300-D910RBK1	PowerScan PM8300, 910 MHz, Kit, USB, Removable Battery with Display (Kit incl. BC8060-910MHZ base station, Cable CAB-438, Power Supply with US Line Cord)
PM8300-DKAR910RB	PowerScan PM8300, 910 MHz, Laser Scanner, Auto Range, Display/16-Key Keypad, Removable Battery
PM8300-DAR910	PowerScan PM8300, 910 MHz, Laser Scanner, Auto Range, Display/3-Key Keypad
PM8300-DAR910RB	PowerScan PM8300, 910 MHz, Laser Scanner, Auto Range, Display/3-Key Keypad, Removable Battery
PM8300-AR910	PowerScan PM8300, 910 MHz, Laser Scanner, Auto Range, No Display or Keypad
PM8300-AR910RB	PowerScan PM8300, 910 MHz, Laser Scanner, Auto Range, No Display or Keypad, Removable Battery
PM8300-DK910	PowerScan PM8300, 910 MHz, Laser Scanner, Standard Range, Display/16-Key Keypad
PM8300-DK910RB	PowerScan PM8300, 910 MHz, Laser Scanner, Standard Range, Display/16-Key Keypad, Removable Battery
PM8300-D910	PowerScan PM8300, 910 MHz, Laser Scanner, Standard Range, Display/3-Key Keypad
PM8300-D910-C005	PowerScan PM8300, 910 MHz, Laser Scanner, Standard Range, Display/3-Key Keypad, PreScan (Use with BC8030-910-C005)
PM8300-D910RB	PowerScan PM8300, 910 MHz, Laser Scanner, Standard Range, Display/3-Key Keypad, Removable Battery
PM8300-910	PowerScan PM8300, 910 MHz, Laser Scanner, Standard Range, No Display or Keypad
PM8300-910RB	PowerScan PM8300, 910 MHz, Laser Scanner, Standard Range, No Display or Keypad, Removable Battery
BC8030-433	PowerScan PM8000, 433 MHz, Base Station/Charger, BC-8030, Multi-Interface

## Datalogic Powerscan PM8300 Barcodescanner

Artikelnummer	Beschreibung
BC8030-433-C005	PowerScan PM8000, 433 MHz, Base Station/Charger, BC-8030, Multi-Interface, PreScan (Use with PM8300-D433-C005)
BC8060-433	PowerScan PM8000, 433 MHz, Base Station/Charger, BC-8060, Multi-Interface/RS-485
BC8030-910	PowerScan PM8000, 910 MHz, Base Station/Charger, BC-8030, Multi-Interface
BC8030-910-C005	PowerScan PM8000, 910 MHz, Base Station/Charger, BC-8030, Multi-Interface, PreScan (Use with PM8300-D910-C005)
BC8060-910	PowerScan PM8000, 910 MHz, Base Station/Charger, BC-8060, Multi-Interface/RS-485

## Zubehör

Artikelnummer	Beschreibung
MC-P080	Battery Charger, 4-Slot, MC-8000; (requires the 94ACC4595 power supply)
FBP-PM80	Battery Pack, Fixed, FBP-8000
FBP-PM80-MAG	Battery Pack, Fixed, FBP-8000 with Magnet
RBP-PM80	Battery Pack, Removable, RBP-8000
CHR-PM80	Charging Only Base Station, C-8000
SBS-PM80	Spare Battery Slot, SBS-8000 (use with BC8060 or CHR-PM80 models)
90A051950	CAB-428 RS485 Interface Splitter
CAB-485	Cable, KBW 3151, 347x, 378x, Coiled, CAB-485, 11 ft.
CAB-437	Cable, KBW, PS/2, Coiled, CAB-437, 9 ft.
CAB-463	Cable, KBW, PS/2, Laptop, Coiled, 3.6 m, CAB-463
CAB-462	Cable, KBW, PS/2, PWR, Coiled 3.6 m, CAB-462
CAB-436	Cable, KBW, PS/2, Straight, CAB-436, 6 ft.
CAB-474	Cable, RS-232 PWR, 25P, Female, Coiled, 3.6 m, CAB-474
CAB-477	Cable, RS-232 PWR, 25P, Female, Coiled, 7.6 m, CAB-477
CAB-459	Cable, RS-232 PWR, 9P, Female, Coiled, 3.6 m, CAB-459
CAB-434	Cable, RS-232 PWR, 9P, Female, Coiled, CAB-434, 8 ft.
CAB-433	Cable, RS-232 PWR, 9P, Female, Straight, CAB-433, 6 ft.
CAB-471	Cable, RS-232, 25P, Female, Coiled, CAB-471, 10 ft.
CAB-509	Cable, RS-232, 25P, Male, CBX800, External Power, Coil, 12 ft
CAB-472	Cable, RS-232, 25P, Male, Coiled, CAB-472, 10 ft.
CAB-479	Cable, RS-232, 9D, Female, POT, Coiled, 25 ft, 90A052014, CAB-479
CAB-456	Cable, RS-232, 9P, Male, Coiled, 3.6 m, CAB-456
CAB-450	Cable, RS-232, Motorola VRC 69xx, CAB-450, 12 ft.

## Zubehör

Artikelnummer	Beschreibung
CAB-451	Cable, RS-232, Motorola VRS 79/89xx, CAB-451, 6 ft.
CAB-467	Cable, USB, Type A, Coiled, 3.6 m, CAB-467, 12 ft.
CAB-524	Cable, USB, Type A, Coiled, POT, CAB-524, 8 ft.
CAB-465	Cable, USB, Type A, Straight, 3.6 m, CAB-465
CAB-438	Cable, USB, Type A, Straight, CAB-438, 6.5 ft.
CAB-490	Cable, WE, 9P, Female, Coiled, 4.6 m, CAB-490
CAB-473	Cable, WE, 9P, Male, Coiled, 8 ft, DP9000
CAB-470	Cable, WE, 9P, Male, Straight, CAB-470, 6.5 ft.
CAB-489	Cable, WE, Lemo, LXE Terminal, Coiled, 2.4 m, CAB-489
CAB-491	Cable, WE, RJ10 Intermec 2010, 2.4 m, CAB-491
CAB-488	Cable, WE, RJ6 Decathlon, Coiled, 6.1 m, CAB-488
CAB-487	Cable, WE, RJ6, Male, Coiled, 2.4 m, CAB-487
HLD-P080	Holder, Desk/Wall Mount
11-0139	Holder, Heated, 24VDC (Not for use with display models)
11-0138	Holder, Heated, 36VDC (Not for use with display models)
11-0140	Holder, Heated, 48VDC (Not for use with display models)
PC-P080	Protective Case/Belt Holster, PC-8000 (for unit without display)
PCD-P080	Protective Case/Belt Holster, PC-8000-D (for unit with display)
7-0404	Industrial Take Up Reel
90ACC1876	Mounting Plate, Metal for STD-xxxx
STD-P080	Stand, Hands-free, STD-8000
891000098	Tether Hook, PowerScan 8xxx, No Display, Qty 5
VMK-8000	Vehicle Mount Kit, VMK-8000
90ACC1885	Power Cord, 2-Pin, EU
90ACC1887	Power Cord, 2-Pin, UK
90ACC1886	Power Cord, 2-Pin, US
94ACC4595	Power Supply without power cord (3 pin)
90ACC1883	Power Supply, 12VDC, PG12-10P55 (For Use with 90ACCXXXX Power Cords Sold Separately)
90ACC1920	Power Supply, 12VDC, US, PG12-10P55-US (includes power cord 90ACC1886)

## Serviceverträge

Artikelnummer	Beschreibung
41415-80	MINIMUM REPAIR CHARGE, PM8300
42311-80	MINIMUM REPAIR CHARGE, PS 83XX M AR
Q-PM83-R	PowerScan 8300M/BT EofC Overnight Replacement Comprehensive, 1 Year Renewal
Q-PM83-3	PowerScan 8300M/BT EofC Overnight Replacement Comprehensive, 3 Years
Q-PM83-5	PowerScan 8300M/BT EofC Overnight Replacement Comprehensive, 5 Years
W-PM83-R	PowerScan 8300M/BT EofC 2 Days Comprehensive, 1 Year Renewal
W-PM83-3	PowerScan 8300M/BT EofC 2 Days Comprehensive, 3 Years
W-PM83-5	PowerScan 8300M/BT EofC 2 Days Comprehensive, 5 Years
E-PM83-R	PowerScan 8300M/BT EofC 5 Days, 1 Year Renewal
E-PM83-3	PowerScan 8300M/BT EofC 5 Days, 3 Years
E-PM83-5	PowerScan 8300M/BT EofC 5 Days, 5 Years
W-PM83A-R	PowerScan 8300M-AR EofC 2 Days Comprehensive, 1 Year Renewal
W-PM83A-3	PowerScan 8300M-AR EofC 2 Days Comprehensive, 3 Years
W-PM83A-5	PowerScan 8300M-AR EofC 2 Days Comprehensive, 5 Years
E-PM83A-R	PowerScan 8300M-AR EofC 5 Days, 1 Year Renewal
E-PM83A-3	PowerScan 8300M-AR EofC 5 Days, 3 Years
E-PM83A-5	PowerScan 8300M-AR EofC 5 Days, 5 Years
Q-PM83A-R	PowerScan 8300M-AR EofC Overnight Replacement Comprehensive, 1 Year Renewal
Q-PM83A-3	PowerScan 8300M-AR EofC Overnight Replacement Comprehensive, 3 Years
Q-PM83A-5	PowerScan 8300M-AR EofC Overnight Replacement Comprehensive, 5 Years
W-PM83-16-R	PowerScan 8300M-DK EofC 2 Days Comprehensive, 1 Year Renewal
W-PM83-16-3	PowerScan 8300M-DK EofC 2 Days Comprehensive, 3 Years
W-PM83-16-5	PowerScan 8300M-DK EofC 2 Days Comprehensive, 5 Years
E-PM83-16-R	PowerScan 8300M-DK EofC 5 Days, 1 Year Renewal
E-PM83-16-3	PowerScan 8300M-DK EofC 5 Days, 3 Years
E-PM83-16-5	PowerScan 8300M-DK EofC 5 Days, 5 Years
Q-PM83-16-R	PowerScan 8300M-DK EofC Overnight Replacement Comprehensive, 1 Year Renewal
Q-PM83-16-3	PowerScan 8300M-DK EofC Overnight Replacement Comprehensive, 3 Years
Q-PM83-16-5	PowerScan 8300M-DK EofC Overnight Replacement Comprehensive, 5 Years
W-BC8-R	PowerScan 8x00M/BT Base Station EofC 2 Days Comprehensive, 1 Year Renewal
W-BC8-3	PowerScan 8x00M/BT Base Station EofC 2 Days Comprehensive, 3 Years
W-BC8-5	PowerScan 8x00M/BT Base Station EofC 2 Days Comprehensive, 5 Years



## Serviceverträge

Artikelnummer	Beschreibung
E-BC8-R	PowerScan 8x00M/BT Base Station EofC 5 Days, 1 Year Renewal
E-BC8-3	PowerScan 8x00M/BT Base Station EofC 5 Days, 3 Years
E-BC8-5	PowerScan 8x00M/BT Base Station EofC 5 Days, 5 Years
Q-BC8-R	PowerScan 8x00M/BT Base Station EofC Overnight Replacement Comprehensive, 1 Year Renewal
Q-BC8-3	PowerScan 8x00M/BT Base Station EofC Overnight Replacement Comprehensive, 3 Years
Q-BC8-5	PowerScan 8x00M/BT Base Station EofC Overnight Replacement Comprehensive, 5 Years
41415-71	WHOLE UNIT REPAIR, PM8300
42311-81	WHOLE UNIT REPAIR, PS 83XX M AR

## WEITERE DATALOGIC BARCODESCANNER

Datalogic bietet weitere Barcodescanner an.  
Mehr Modelle finden Sie hier:

<http://www.datalogic.com/deu/automatic-data-capture/industrielle-handscanner-pc-4.html>

